



CCD SURVEILLANCE CAMERA – RCCD900



Product Description

RCCD900 is a standard CCD based Dome camera for video surveillance with 1/3 Sony CCD and lens option Stating for 3.6 mm to 16 mm along with 480 TVL support this camera is a perfect choice for your surveillance System

Key Feature – RCCD900

- CCD Dome based Surveillance Camera
- Sleet and sturdy design, cast
- Sony 1/3 CCD 3.6 mm to 16 mm lens option auto iris
- 480 TVL for excellent video quality
- Supports pan/tilt/alarm via rs485



CCD SURVEILLANCE CAMERA – RCDIR900



Product Description

RCDIR900 is a Infrared CCD based Dome camera for video surveillance with 1/3 Sony CCD and lens option stating for 3.6 mm to 16 mm along with 480 TVL and day and night support this camera is a perfect choice for your surveillance system round the clock

Key Feature – RCDIR900

- CCD Dome based Surveillance Camera
- Sleet and sturdy design, cast
- IR Function for Day and Night Viewing/Recording
- Sony 1/3 CCD 3.6 mm to 16 mm lens option – auto iris
- 480 TVL for excellent video quality
- Supports pan/tilt/alarm via rs485



CCD SURVEILLANCE CAMERA – RCS900



Product Description

RCS900 is a CCD based camera for video surveillance with 1/3 Sony CCD and lens option stating for 3.6 mm to 16 mm along with 480 TVL support this camera is a perfect choice for your surveillance system

Key Feature – RCS900

- CCD based Surveillance Camera
- Sleek and sturdy design, cast
- Sony 1/3 CCD 3.6 mm to 16 mm lens option auto iris
- 480 TVL for excellent video quality
- Supports pan/tilt/alarm via rs485



CCD SURVEILLANCE CAMERA – RCIR900



Product Description

RCIR900 is a Infrared CCD based camera for video surveillance with 1/3 Sony CCD and lens option stating for 3.6 mm to 16 mm along with 480 TVL support this camera is a perfect choice for your surveillance system

Key Feature – RCIR900

- CCD based Surveillance Camera
- Sleet and sturdy design, cast
- IR Function for Day and Night Viewing/Recording
- Sony 1/3 CCD 3.6 mm to 16 mm lens option – auto iris
- 480 TVL for excellent video quality
- Supports pan/tilt/alarm via rs485